




health•audio



**WIRELESS AUDIO, A HAPPY LIFESTYLE**



**Jaocom**  
health • audio

Advanced Digital Appliance **LISTENING 2025**  
[www.jaocom.com](http://www.jaocom.com)



health • audio



**PERFECT SOUND, YOU CAN VISUALIZE**



health•audio

# Company Introduction

Zhuhai Jaocom Acoustics Technology Co., Ltd was established in August 2004. Our company mainly focuses on developing and manufacturing wireless intelligent audio, which is one of the few HNTE (High and NEW Technology Expertise) audio industries in China (HNTE#: Gr20174405868).

Jaocom aims to extend international market. Jaocom fully owns its intellectual property rights. Also, Jaocom obtained multiple national invention patents and utility model patents. A series of Bluetooth speakers and WIFI speakers had launched in Europe and US market, products' perfect sound and Hi-Fi quality won numerous reputable comments.

In accordance with company's globalization strategy, Jaocom tries to establish business with other foreign markets while providing superior OEM services to European and American premium brands. After years of consistent efforts, our company has entered into business relationships with South America, South Africa, Middle East, Southeast Asia markets. We also built long term Chile, Argentina, Uruguay, Australia, Russia, Turkey, Korea, Indonesia and so on.

Jaocom is strictly guided by the principle of "making the quality of production better". Our product has received UL, FCC, CE, Red, RoHs, Reach, PoPs product certificates from the accredited lab TUV and SGS etc. Providing the highest quality products and best user experience are our priority of all time.

Let us take the opportunity to make Jaocom an excellent international brand in audio product field and enjoy a brilliant future together.



amfori



BSCI



Trade with purpose



health•audio

# CONTENTS

- ① Bluetooth Speaker
- ②⑧ Portable BT Speaker
- ④① Sound Bar
- ⑤④ Tower Speaker


**FOCUS ON SOUND QUALITY  
TO CREATE A BETTER LIFE**

# HOT SALE PRODUCT

**EXCEPTIONAL QUALITY  
PRIME CHOICE FOR AUDIOPHILES**



health audio



# SonicGladiator Hisw-A300




Bluetooth Version 6.0



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate



Dimension: 343\*183\*190mm

Output Power: 25\*2+50W

Power Supply: AC100-240V~50/60Hz

21V2000mAh lithium-ion battery


Speaker Driver: 25 core 8Ω silk film tweeter \*2PCS;

5.25 inch 4Ω woofer \*1PCS;

# Hisw-B300 SonicGladiator



Dimension: 343\*183\*190mm  
Output Power: 25\*2+50W  
Power Supply: AC100-240V~50/60Hz  
21V2000mAh lithium-ion battery  
Speaker Driver: 25 core 8Ω silk film tweeter \*2PCS;  
5.25 inch 4Ω woofer \*1PCS;




Bluetooth Version 6.0



Four-Way DRC




Dual-Core DSP



24bit 96KHz Sampling Rate

# SonicGladiator Hisw-C300



Bluetooth Version 6.0



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate



Dimension: 343\*183\*181mm

Output Power: 25\*2+50W

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter \*2PCS;  
5.25 inch 4Ω woofer \*1PCS;

# Hisw-A500Max Bluetooth Speaker




Dimension: 449\*297\*249mm

Output Power: 200W(30W\*2+30W\*2+80W)

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter \*2PCS;  
4 inch 4Ω full frequency speaker \*2PCS;  
6.5 inch 4Ω woofer \*1PCS;



Bluetooth Version 5.3



Electronic 3-Way 4.1CH




TBE



Matching APP


# Bluetooth Speaker Hisw-A500



Bluetooth Version 5.3



Electronic 3-Way 4.1CH



TBE



Matching APP



Dimension: 449\*273\*246mm

Output Power: 160W(20W\*2+20W\*2+80W)


Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
4 inch 4Ω full frequency speaker\*2PCS;  
6.5 inch 4Ω woofer\*1PCS;

# Hisw-A9 Bluetooth Speaker



Dimension: 390\*200\*270mm  
Output Power: 25\*2+70W  
Power Supply: AC100-240V~50/60Hz  
Speaker Driver: 25 core 8Ω silk film tweeter \*2PCS;  
6.5 inch 4Ω woofer\*1PCS;




Bluetooth Version 6.0



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate

# Bluetooth Speaker Hisw-A8




Bluetooth Version 6.0



Eliminate Unnecessary Noise

Four-Way DRC



Restore Real Sound

Dual-Core DSP



Hear More Music Details

24bit 96KHz Sampling Rate



Dimension: 390\*200\*190mm

Output Power: 25\*2+50W


Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
5.25 inch 4Ω woofer\*1PCS;

# Hisw-A7 Bluetooth Speaker



Dimension: 400\*245\*168mm  
Output Power: 100W (25W\*2+50W)  
Power Supply: AC100-240V~50/60Hz  
Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
5 inch 4Ω woofer\*1PCS;



Bluetooth Version 6.0



Eliminate Unnecessary Noise

Four-Way DRC



Restore Real Sound

Dual-Core DSP



24bit 96KHz Sampling Rate

# Bluetooth Speaker Hisw-A6



Dimension: 390\*180\*190mm  
Output Power: 100W (25W\*2+50W)  
Power Supply: AC100-240V~50/60Hz  
Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
5.25 inch 4Ω woofer\*1PCS;




Eight Touching Keys



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate

# Hisw-A3 Bluetooth Speaker



Dimension: 360\*240\*152mm  
Output Power: 70W(30W+40W)  
Power Supply: 22V2A adapter  
Speaker Driver: 2.75inch 6Ω full frequency speaker\*2PCS;  
4 inch 4Ω woofer\*1PCS;



2.1ch System



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate

# Bluetooth Speaker Hisw-A2Pro



Wireless Charging Function



Four-Way DRC



Dual-Core DSP



Removable Dust Cover/touch Buttons



Dimension: 585\*150\*120mm

Output Power: 30W\*2

Power Supply: 22V2A adapter

Speaker Driver: 3 inch 6Ω full frequency speaker\*2PCS;

# Hisw-A2 Bluetooth Speaker



Eight Touching Keys



Eliminate Unnecessary Noise

Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate

PATENT NO. 202030753353.5

Dimension: 312\*150\*120mm

Output Power: 25W\*2

Power Supply: 20V1.8A adapter

Speaker Driver: 3 inch 6Ω full frequency speaker \*2PCS;

# Bluetooth Speaker Hisw-A1Max



Bluetooth Version 6.0



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate



Dimension: 345\*194\*135mm

Output Power: 60W(10W+10W+40W)

Power Supply: 22V1.6A adapter

Speaker Driver: 20 core 8Ω silk film tweeter\*1PCS;  
2.75inch 6Ω full frequency speaker\*1PCS;  
4 inch 4Ω woofer\*1PCS;

# Hisw-A1 Bluetooth Speaker



Dimension: 345\*194\*135mm  
Output Power: 60W(10W+10W+40W)  
Power Supply: 22V1.6A adapter  
Speaker Driver: 20 core 8Ω silk film tweeter\*1PCS;  
2.75 inch 6Ω full frequency speaker\*1PCS;  
4 inch 4Ω woofer\*1PCS;



Eight Touch Key



Eliminate Unnecessary Noise

Four-Way DRC



Restore Real Sound

Dual-Core DSP



24bit 96KHz Sampling Rate

# Bluetooth Speaker Hisw-G1



Bluetooth Version 6.0



Eliminate Unnecessary Noise

Four-Way DRC



24bit 96KHz Sampling Rate



Dimension: 118\*136\*190mm

Output Power: 30W\*2

Power Supply: 18V2A adapter

Speaker Driver: 20 core 8Ω silk film tweeter\*2PCS;  
3 inch 6Ω full frequency speaker\*2PCS;

# Hisw-G2 Bluetooth Speaker



Dimension: 118\*136\*190mm  
Output Power: 35W\*2  
Power Supply: 12V2000mAh lithium-ion battery  
Speaker Driver: 20 core 8Ω silk film tweeter\*2PCS;  
3inch 6Ω full frequency speaker\*2PCS;  
Charging Interface: TYPE-C 5V



Computer Partner



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate

# Bluetooth Speaker Hisw-G4



Bluetooth Version 6.0



Eliminate Unnecessary Noise

Four-Way DRC



Restore Real Sound

Dual-Core DSP



Dimension: 131\*146\*199mm

Output Power: 40W\*2


Power Supply: 12V2000mAh lithium-ion battery

Speaker Driver: 20 core 8Ω silk film tweeter\*2PCS;

4 inch 4Ω full frequency speaker\*2PCS;

Charging Interface: TYPE-C 5V


# Hisw-Classic5 Bluetooth Speaker



Bluetooth Version5.3



Electronic 2-Way Crossover Wired Stereo



TBE



Matching APP

Dimension: 200\*230\*300mm

Output Power: 80W\*2

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
5 inch 4Ω woofer\*2PCS;

# Bluetooth Speaker Hisw-Gold5



Dimension: 198\*230\*306mm  
Output Power: 80W\*2  
Power Supply: AC100-240V~50/60Hz  
Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
5 inch 4Ω woofer\*2PCS;



Bluetooth Version 5.3



Electronic 2-Way Crossover Wired Stereo



TBE



Matching APP

# Hisw-Gold6 Bluetooth Speaker



Bluetooth Version 6.0



Wireless Stereo 3-Way



Dual-Core DSP



TV Partner

Dimension: 231\*233\*452mm  
Output Power: 25\*2+70\*2+25\*2W  
Power Supply: AC100-240V~50/60Hz  
Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
2.75 inch 6Ω full frequency speaker\*2PCS;  
6.5 inch 4Ω woofer\*2PCS;

# Bluetooth Speaker Hisw-Silver6



Dimension: 231\*233\*452mm  
Output Power: 25\*2+70\*2+25\*2W  
Power Supply: AC100-240V~50/60Hz  
Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
2.75 inch 6Ω full frequency speaker\*2PCS;  
6.5 inch 4Ω woofer\*2PCS;




Eight Touching Keys



Wireless Stereo 3-Way



Four-Way DRC



24bit 96KHz Sampling Rate

# Hisw-Gold6E Bluetooth Speaker



Dimension: 231\*233\*452mm  
Output Power: 25\*2+70\*2+25\*2W  
Power Supply: AC100-240V~50/60Hz  
Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
2.75 inch 6Ω full frequency speaker\*2PCS;  
6.5 inch 4Ω woofer\*2PCS;



Two-Way Wireless Microphone - Bring You a KTV Set  
Karaoke Function



Wireless Stereo 3-Way



Restore Real Sound  
Dual-Core DSP



Hear More Music Details

24bit 96KHz Sampling Rate

# Bluetooth Speaker Hisw-Gold7




Bluetooth Version 6.0



Wireless Stereo 3-Way



Dual-Core DSP



24bit 96KHz Sampling Rate




Dimension: 233\*251\*419mm

Output Power: 25\*2+70\*2+25\*2W

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter\*2PCS;  
2.5 inch 6Ω full frequency speaker\*2CS;  
6.5 inch 4Ω woofer\*2PCS;

# F5-20 Bluetooth Speaker



RMS



Touch Clock Display



Wireless Charging Function



Dimension: 180\*180\*93mm  
Output Power: 20W\*2(RMS)  
Power Supply: 15V1.6A  
Speaker Driver: 2.25 inch 4Ω full frequency speaker\*2PCS;



Powerful Alarm Clock Sleep Function

# Bluetooth Speaker **F5-20 Pro**



Powerful Alarm Clock Sleep Function



Super Magnetic



Wireless Charging Function



Dimension: 200\*200\*85mm

Output Power: 20W\*2(RMS)

Power Supply: 15V1.6A adapter

Speaker Driver: 4 480 4Ω full frequency speaker\*2PCS;

# F5-30 Bluetooth Speaker



**PATENT NO. 202030753353.5**

Dimension: 312\*150\*120mm

Output Power: 25W\*2

Power Supply: 20V1.8A adapter

Speaker Driver: 3 inch 6Ω full frequency speaker\*2PCS;



**Eight Touch Key**



**Wireless Charging Function**



**Rich Functional Interface**



**Powerful Alarm Clock And Sleep Function**

# PORTABLE BT SPEAKER

FOCUS ON SOUND QUALITY  
TO CREATE A BETTER LIFE



www.jaacom.com

# Hish-D1 Aqualine



Dimension: 199\*86.5\*137mm  
 Power Supply: 3.7V1200mAh lithium-ion battery  
 Speaker Driver: 4 inch 3Ω full frequency speaker\*1PCS;  
 Charging Interface: TYPE-C 5V  
 Output Power: 8W



Bluetooth Version 6.0



Karaoke Function



Dual-Core DSP



Four-Way DRC

清澈音质，升华空间  
 ELEVATE YOUR SPACE WITH CRYSTAL CLARITY

health-audio

Hish-D1 Aqualine

# Aqualine Hish-D2




Two-Way Wireless Microphone - Bring You a KTV Set


Karaoke Function



Dual-Core DSP



Bluetooth Version 6.0



Four-Way DRC



音乐无界，生活无限  
MUSIC WITHOUT LIMITS, LIFE WITHOUT BOUNDARIES



Hish-D2 Aqualine



Dimension: 199\*146.5\*137mm  
 Power Supply: 12V2000mAh lithium-ion battery  
 Speaker Driver: 20 core 8Ω silk film tweeter\*1PCS;  
 4 inch 4Ω full frequency speaker\*1PCS;  
 Charging Interface: TYPE-C 5V  
 Output Power: 40W

# Hish-D3 Rippleton



Dimension: 225.5\*87\*157mm  
 Power Supply: 12V2000mAh lithium-ion battery  
 Speaker Driver: 20 core 8Ω silk film tweeter\*1PCS;  
 3inch 6Ω full frequency speaker\*1PCS;  
 Charging Interface: TYPE-C 5V  
 Output Power: 35W



Bluetooth Version 6.0



Karaoke Function



Dual-Core DSP



Four-Way DRC

聆听靓声 心动如漪  
 HEAR THE SUBLIME SOUND, FEEL YOUR HEART RIPPLE

**Hish-D3 Rippleton**

health-audio

CE FC RoHS SSS TÜV amfori BSCI fcs

# Portable BT Speaker **Hish-D5Max**



Two-Way Wireless Microphone - Bring You a KTV Set


**Karaoke Function**



**Dual-Core DSP**



**Bluetooth Version 6.0**



**Four-Way DRC**

# 24 bit/96 KHz

24bit 96KHzSamplingRate Hear More Music Details



**PATENT NO. 202223217039.8**

Dimension: 186\*186\*186mm

Power Supply: 7.4V2000mAh lithium-ion battery

Speaker Driver: 4 inch 4Ω full frequency speaker\*1PCS;

Charging Interface: TYPE-C 5V

Output Power: 25W

# Hish-D5 Portable BT Speaker



Dimension: 186\*178\*186mm  
Power Supply: 7.4V2000mAh lithium-ion battery  
Speaker Driver: 4 inch 4Ω full frequency speaker\*1PCS;  
Charging Interface: TYPE-C 5V  
Output Power: 25W



Bluetooth Version 6.0



Karaoke Function



Dual-Core DSP



Four-Way DRC



# 24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details

# Portable BT Speaker **Hish-D6**



Two-Way Wireless Mic Function - Bring You a KTV Set


**Karaoke Function**



**Dual-Core DSP**



**Bluetooth Version 6.0**



**Four-Way DRC**

# 24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details



**PATENT NO. 202130271232.1**

Dimension: 287\*168\*165mm

Power Supply: 7.4V 1800mA lithium-ion battery

Speaker Driver: 2.75 inch 6Ω tweeter\*1PCS;

4 inch 4Ω full frequency speaker\*1PCS;


Charging Interface: TYPE-C 5V

Output Power: 30W

# Hish-D8Plus Portable BT Speaker



Dimension: 287\*168\*165mm  
Power Supply: 12V2000mAh lithium-ion battery  
Speaker Driver: 25 core 8Ω silk film tweeter\*1PCS;  
4 inch 4Ω full frequency speaker\*1PCS;  
Charging Interface: TYPE-C 5V  
Output Power: 42W



Bluetooth Version 6.0



Karaoke Function



Dual-Core DSP



Eliminate Unnecessary Noise

Four-Way DRC

# 24bit/96KHz

24bit 96KHz Sampling Rate Hear More Music Details

# Portable BT Speaker **Hish-D8Max**



Two-Way Wireless Microphone - Bring You a KTV Set

**Karaoke Function**




Restore Real Sound

**Dual-Core DSP**



**Bluetooth Version 6.0**



**Four-Way DRC**

# 24 bit/96 KHz

24bit 96KHzSamplingRate Hear More Music Details



**Dimension:** 287\*168\*165mm  
**Power Supply:** 12V2000mAh lithium-ion battery  
**Speaker Driver:** 2.75 inch 6Ω full frequency speaker\*1PCS;  
4 inch 4Ω full frequency speaker \*1PCS;  
**Charging Interface:** TYPE-C 5V  
**Output Power:** 42W

# Hish-D8 Portable BT Speaker



**PATENT NO. 202223217039.8**


**Dimension: 287\*168\*165mm**

**Power Supply: 12V2000mAh lithium-ion battery**

**Speaker Driver: 2.75 inch 6Ω tweeter\*1PCS;  
4 inch 4Ω full frequency speaker\*1PCS;**

**Charging Interface: TYPE-C 5V**

**Output Power: 40W**



**Bluetooth Version 6.0**



**Karaoke Function**



**Dual-Core DSP**



**Four-Way DRC**



# Portable BT Speaker **Hish-D9Plus**



Two-Way Wireless Microphone - Bring You a KTV Set


**Karaoke Function**



**Dual-Core DSP**



**Bluetooth Version 6.0**



**Four-Way DRC**



# 24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details



Dimension: 284\*186\*185mm  
Power Supply: 12V2000mAh lithium-ion battery  
Speaker Driver: 25 core 8Ω silk film tweeter\*1PCS;  
4 inch 4Ω full frequency speaker\*1PCS;  
Charging Interface: TYPE-C 5V  
Output Power: 50W

# Hish-D9Max Portable BT Speaker



Dimension: 284\*186\*185mm  
Power Supply: 12V2000mAh lithium-ion battery  
Speaker Driver: 25 core 8Ω silk film tweeter\*1PCS;  
4 inch 4Ω full frequency speaker\*1PCS;  
Charging Interface: TYPE-C 5V  
Output Power: 50W



Bluetooth Version 6.0



Karaoke Function



Dual-Core DSP



Eliminate Unnecessary Noise

Four-Way DRC



24bit 96KHz Sampling Rate Hear More Music Details



health·audio



樂  
中國風

中国音乐文化历史悠久，据乐记记载，  
凡音之起，由人心而生，人心之物物使之然也，  
感于物而动，故行于声，声相应，故生变，变成方，  
谓之音，比音而乐之，及于戚创避，谓之乐。  
由此可见，乐由心生，其本在人心之感于物。  
乐器科技依据此理念，引导健康音响新理念，  
认为用高品质音响播放合适的音乐，  
可使人们心情愉悦而有益健康。


**SOUND BAR**  
**PERFECT SOUND, YOU CAN VISUALIZE**




# X4Max Bluetooth Sound Bar




Dimension: 406\*74\*49mm  
Output Power: 20W\*2(RMS)  
Power Supply: 12V1A  
Speaker Driver: 4480 4Ω full frequency speaker\*2PCS



Super Magnetic



Four Sound Effects



Excellent Craftmanship




TV Partner


# Bluetooth Sound Bar X4LPro



RMS28W



Super Magnetic



Excellent Craftsmanship



TV Partner




Dimension: 406\*74\*49mm  
Output Power: 14W\*2(RMS)  
Power Supply: 12V1A  
Speaker Driver: 4480 4Ω full frequency speaker\*2PCS

# X4L Bluetooth Sound Bar




Dimension: 406\*74\*49mm  
Output Power: 26W(RMS)  
Power Supply: 18V650mA  
Speaker Driver: 4480 6Ω full frequency speaker\*1PCS;




Professional Radiator



Rubber Corrugated Rim




Four Sound Effects




RMS 26W


# Bluetooth Sound Bar X4




RMS 25W



Body Thickness Is Only 50mm



Professional Double Radiator



Super Magnetic



**PATENT NO. 202130271223.2**

Dimension: 408\*51\*50mm

Output Power: 25W(RMS)


Power Supply: 18V650mA

Speaker Driver: 4480 6Ω full frequency speaker\*1PCS;


# X4Plus Bluetooth Sound Bar




Double Inverted Pipe Technology



Body Thickness Is Only 50mm



Professional Double Radiator




Super Magnetic




Dimension: 906\*74\*49mm  
Output Power: 25W\*2(RMS)  
Power Supply: 15V1.6A adapter  
Speaker Driver: 4480 4Ω full frequency speaker\*2PCS;


# Bluetooth Sound Bar SH1 Pro+



Body Thickness Is Only 49mm



Metal Grille



Professional Double Radiator



**PATENT NO. 202130610580.7**

Dimension: 906\*74\*49mm

Output Power: 25W\*2

Power Supply: 20V1.8A


Speaker Driver: 4480 6Ω full frequency speaker\*2PCS;

## PERFECT SOUND, YOU CAN VISUALIZE

# SH1Pro Bluetooth Sound Bar



Dimension: 706\*74\*49mm  
Output Power: 16W\*2(RMS)  
Power Supply: 18V1A adapter  
Speaker Driver: 4480 6Ω full frequency speaker\*2PCS;




RMS32W



High Quality Full Frequency Speaker



Double Inverted Pipe Technology



Excellent Craftsmanship

# Bluetooth Sound Bar Hisw-S1



TV Partner



Silk Film



Long Strokes Bass Speaker



## Hisw-S1

Dimension: 906\*83\*49mm

Output Power: 50W

Power Supply: 22V1.6A adapter

Speaker Driver:

20 core 8Ω silk film tweeter\*2PCS;

4480 6.5Ω full frequency speaker\*2PCS;

## Hisw-S2

Wireless Surround

Dimension: 49\*83\*143mm

Output Power: 15W

Power supply: 18V1A adapter

Speaker Driver:

1.75 inch 4Ω full frequency speaker \*2PCS;

## Hisw-S3

Wireless Subwoofer

Dimension: 236\*236\*367mm

Output Power: 60W

Power supply: AC100-240V~50/60Hz

Speaker Driver:

6.5 inch 8Ω subwoofer\*1PCS

# Hisw-S4Max Bluetooth Sound Bar



Dimension: 906\*74\*49mm  
Output Power: 100(25W\*2+50W)  
Power Supply: 22V2A adapter  
Speaker Driver: 4480 6Ω full frequency speaker\*2PCS

Wired Subwoofer  
Dimension: 110\*230\*428mm  
Speaker Driver: 5 inch 4Ω subwoofer\*1PCS



Comfortable Silicone Keys



Rich Functional Interface



Long Strokes Bass Speaker


# Bluetooth Sound Bar Hisw-S4



Comfortable Silicone Keys



Rich Functional Interface



Four Sound Effects



TV Partner



Dimension: 506\*74\*49mm  
Output Power: 60(15W\*2+30W)  
Power Supply: 22V2A adapter  
Speaker Driver: 4480 6Ω full frequency speaker\*2PCS

Wired Subwoofer  
Dimension: 110\*200\*298mm  
Speaker Driver: 3.5 inch 6Ω subwoofer\*1PCS

# X4W Bluetooth Sound Bar



## X4SW

Plastic Cabinet

Dimension: 506\*74\*49mm

Output Power: 15W\*2

Power Supply: 20V1.2A adapter

Speaker Driver:

4480 6Ω full frequency speaker\*2PCS

Wireless Subwoofer

Dimension: 400\*200\*90mm

Output Power: 30W

Speaker Driver: 4 inch 4Ω subwoofer\*1PCS

Power supply: AC100-240V~50/60Hz

## X4LW

Plastic Cabinet

Dimension: 506\*74\*49mm

Output Power: 15W\*2+30W

Power Supply: 20V1.8A adapter

Speaker Driver:

4480 6Ω full frequency speaker\*2PCS

Wired Subwoofer

Dimension: 400\*200\*90mm

Speaker Driver: 4 inch 4Ω subwoofer\*1PCS



Comfortable Silicone Keys




Subwoofers Be Placed Freely



TV Partner


# Bluetooth Sound Bar SH1W Pro



Body Thickness Is Only 49mm



Rich Functional Interface



EV Wire High Temperature Voice Coil



## Plastic Cabinet

Dimension: 906\*74\*49mm

Output Power: 25W\*2+50W

Power Supply: 22V2A adapter

Speaker Driver: 20 core 8Ω silk film tweeter\*2PCS;  
4480 6Ω full frequency speaker\*2PCS;

## Subwoofer

Dimension: 400\*230\*97mm

Speaker Driver: 5 inch 4Ω subwoofer\*1PCS;

**Jaocom**  
health•audio

PERFECT SOUND, YOU CAN VISUALIZE

# SH1W Pro+ Bluetooth Sound Bar



Super Magnetic



Silk Film



Long Strokes Bass Speaker

## TWS-SH1W Pro+

Plastic Cabinet

Dimension: 906\*74\*49mm

Output Power: 30W\*2

Power Supply: 22V1.6A adapter

Speaker Driver:

20 core 8Ω silk film tweeter\*2PCS;

4480 6Ω full frequency speaker\*2PCS;

Wireless Subwoofer

Dimension: 400\*300\*120mm

Output Power: 60W

Speaker Driver: 6.5 inch 4Ω subwoofer\*1PCS;

Power supply: AC100-240V~50/60Hz

## SH1W Pro+

Plastic Cabinet

Dimension: 906\*74\*49mm

Output Power: 30W\*2+60W

Power Supply: 22V2.8A adapter

Speaker Driver:

20 core 8Ω silk film tweeter\*2PCS;

4480 6Ω full frequency speaker\*2PCS;

Wired Subwoofer

Dimension: 400\*300\*120mm

Speaker Driver: 6.5 inch 4Ω subwoofer\*1PCS;




health • audio



# TOWER SPEAKER

PERFECT SOUND, YOU CAN VISUALIZE  
BLUETOOTH 5.0

# TO1 TOWER SPEAKER



WIRELESS AUDIO  
A HAPPY LIFESTYLE

## TO1 TOWER SPEAKER




Dimension: 180\*180\*780mm

Output Power:  
(25W\*2+50W)\*2

Power Supply: (AC100-240V~50/60Hz)\*2

Speaker Driver:

20 core 8Ω silk film tweeter\*2PCS;  
3 inch 6Ω full frequency speaker\*4PCS;  
5 inch 4Ω woofer\*2PCS;



High Power Switching Power Supply




New DSP Processing Chip



True Wireless Stereo (TWS)



Professional Radiator



High Power Switching Power Supply



Powerful Digital Amplifier



Large Diameter Phase-inverter Tube



Eight Physical Key

PERFECT SOUND  
YOU CAN VISUALIZE

## TO2 TOWER SPEAKER



**PATENT NO. 201720035966.8**

Dimension: 205\*205\*1130mm

Output Power: 30W\*2+60W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

20 core 8Ω silk film tweeter\*1PCS;


2.75 inch 4Ω full frequency speaker\*4PCS;

6.5 inch 8Ω woofer\*1PCS;



TO2 TOWER SPEAKER

# T03 TOWER SPEAKER




High Power Switching Power Supply



Rich Functional Interface



Silk Film Tweeter



Silicone Shock-absorbing Foot Pads

WIRELESS AUDIO  
A HAPPY LIFESTYLE

## T03 TOWER SPEAKER



**PATENT NO. 201720035966.8**

Dimension: 214\*214\*1140mm

Output Power: 30W\*2+60W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

20 core 8Ω silk film tweeter\*1PCS;

3 inch 4Ω full frequency speaker\*4PCS;

6.5 inch 8Ω woofer\*1PCS;

PERFECT SOUND  
YOU CAN VISUALIZE

## TO4 TOWER SPEAKER



**PATENT NO. 201720035966.8**

Dimension: 205\*205\*1130mm

Output Power: 30W\*2+60W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

20 core 8Ω silk film tweeter\*1PCS;

2.75 inch 4Ω full frequency speaker\*4PCS;

6.5 inch 8Ω woofer\*1PCS;



High Power Switching Power Supply



Powerful Digital Amplifier



Silk Film Tweeter



Eight Touch Key



TO4 TOWER SPEAKER

# TO4W TOWER SPEAKER



WIRELESS AUDIO  
A HAPPY LIFESTYLE

## TO4W TOWER SPEAKER



Dimension: 130\*110\*1000mm

Output Power: 20W\*2+40W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

3 inch 6Ω full frequency speaker\*2PCS;

3.5 inch 4Ω woofer\*1PCS;



LED Display



2.1ch Digital Amplifier



Built-in Subwoofer



Eight Physical Key



Mobile Device Bracket



Powerful Digital Amplifier



LED Display



Wired Stereo Port

PERFECT SOUND  
YOU CAN VISUALIZE

## T05 TOWER SPEAKER



Dimension: 130\*110\*820mm

Output Power: 20W\*2

Power Supply: 18V1.3A power adapter

Speaker Driver:

3 inch 6Ω full frequency speaker\*2PCS;



T05 TOWER SPEAKER

# T06 TOWER SPEAKER



Eight Physical Key



New DSP Processing Chip



True Wireless Stereo (TWS)



Professional Radiator

WIRELESS AUDIO  
A HAPPY LIFESTYLE

## T06 TOWER SPEAKER



Dimension: 130\*110\*820mm

Output Power: (25W\*2)\*2

Power Supply: 20V1.2A power adapter\*2

Speaker Driver:

3 inch 6Ω full frequency speaker\*4PCS;

PERFECT SOUND  
YOU CAN VISUALIZE

## T07 TOWER SPEAKER



**PATENT NO. CN 207947886 U**

Dimension: 110\*100\*1000mm

Output Power: 20W\*2

Power Supply: 18V1.3A power adapter

Speaker Driver:

3 inch 6Ω full frequency speaker\*2PCS;



Eight Physical Key



Powerful Digital Amplifier



RGB Light



Bluetooth 5.0




T07 TOWER SPEAKER

# T09 Pro TOWER SPEAKER



High Power Switching Power Supply



2.1ch Digital Amplifier



Built-in 5 Inch Woofer



360° Digital Potentiometer

WIRELESS AUDIO  
A HAPPY LIFESTYLE

## T09 Pro TOWER SPEAKER



Dimension: 150\*150\*916mm  
Output Power: 25W\*2+50W  
Power Supply: AC100-240V~50/60Hz  
Speaker Driver:  
3 inch 6Ω full frequency speaker\*2PCS;  
5 inch 4Ω woofer\*1PCS;

# Jaocom

health • audio

## WIRELESS AUDIO, A HAPPY LIFESTYLE





health•audio

**FOCUS ON SOUND QUALITY  
TO CREATE A BETTER LIFE**

**LISTENING 2025**



**Zhuhai Jaocom Acoustics Technology Co., Ltd**

<http://www.jaocom.com>

E-mail: [info@jaocom.com](mailto:info@jaocom.com)

Tel: +86-756-8500956 Fax: +86-756-8500957

Add: 5/F, Building 1, 38 Yongtian Road, 519015, Zhuhai, Guangdong, China

BLUETOOTH/PORTABLE BT /TOWER /SOUNDBAR /SPEAKER