

OUTDOOR SPEAKER
TOWER SPEAKER


DESKTOP SPEAKER
INTELLIGENT TABLE LAMP AUDIO
PROFESSIONAL AUDIO
SOUND BAR


Jaocom

health • audio

LISTENING 2023

THE HEALTH IS THE ABSOLUTE PRINCIPLE





Jaocom

health•audio

Advanced Digital Appliance **LISTENING 2023**

www.jaocom.com



PERFECT SOUND, YOU CAN VISUALIZE

Jaocom

health•audio

Jaocom

health•audio

Company Introduction

Zhuhai Jaocom Audio Co., Ltd was established in August 2004. Our company mainly focuses on developing and manufacturing wireless intelligent audio, which is one of the few HNTE (High and NEW Technology Expertise) audio industries in China (HNTE #: Gr20174405868).

Jaocom aiming to extend international market. Jaocom Audio fully owns its intellectual property rights. Also, Jaocom Audio obtained multiple national invention patents and utility model patents. A series of Bluetooth speakers and WiFi speakers had launched in Europe and US market, products' perfect sound effects and hi-fi quality won numerous reputable comments.

In accordance with company's globalization strategy, Jaocom tries to establish business with other foreign markets while providing superior OEM services to European and American premium brands. After years and years' efforts, our company now enters into business relationships with South America, South Africa, Middle East, Southeast Asia markets. We also built long term partnership with our clients in Germany, France, Spain, UK, Italy, Netherlands, Sweden, USA, Brazil, Chile, Argentina, Uruguay, Australia, Russia, Turkey, Korea, Indonesia and so on.

Jaocom is strictly guided by the principle of "making the quality of production better". Our product has received UL, FCC, CE, Red, RoHS, Reach, PoPs product certificates from the accredited lab TUV and SGS etc. Providing the highest quality products and best user experience are our priority of all time.

Let us take the opportunity to make Jaocom an excellent international brand in audio product field and enjoy a brilliant future together.




amfori 

Trade with purpose

BSCI





CONTENTS

- ① Intelligent Table Lamp Audio
- ③ Outdoor Speaker
- ⑩ Desktop Speaker
- ②① Sound Bar
- ③③ Tower Speaker
- ④⑤ Professional Audio
- ⑤① Home Karaoke Speaker

Jaocom
health•audio

PERFECT SOUND, YOU CAN VISUALIZE

LS-520 Intelligent Table Lamp Audio



PATENT NO. 202320527128.8

Dimension:

D380mm*H1573mm

Power Supply: 15V2.4A adapter

Speaker Driver:

4 inch full frequency 4Ω*1PCS;

Lighting Power: 15W

Colored Light Power: 5W

Sound Output Power: 25W



The Health Is The Absolute Principle



Intelligent Table Lamp Audio **LS-525**



PATENT NO. 202320527128.8

Dimension:

D340mm*H600mm

Power Supply: 15V2.4A adapter

Speaker Driver:

4 inch full frequency 4Ω*1PCS;

Lighting Power: 15W

Colored Light Power: 5W

Sound Output Power: 25W

OUTDOOR SPEAKER

FOCUS ON SOUND QUALITY
TO CREATE A BETTER LIFE



Jaocom
health • audio


Outdoor Speaker LS-500




Karaoke Function



Built-in Lithium Battery+ High Efficiency 12V Boost Circuit



Spectrum



Optional Premium Fabric Dust Mesh



Treble And Bass Independent Adjustment+ Touch Key



PATENT NO. 202223217039.8

Dimension: 189*178*197mm

Power Supply: 7.4V1800mA lithium-ion battery

Speaker Driver: 4 inch full frequency 4Ω*1PCS;
Phase-inverter tube*1

Charging Interface: TYPE-C 5V

Output Power: 25W

LS-600 Pro outdoor Speaker



PATENT NO. 202030753043.3

Dimension: 287*168*164mm

Power Supply: 7.4V1800mA lithium-ion battery

Speaker Driver: 4 inch full frequency 4Ω*1PCS;
20 core silk film 8Ω tweeter*1PCS;
Phase-inverter tube*1

Charging Interface: TYPE-C 5V


Output Power: 30W




Karaoke Function



Rich Functional Interface



Optional Premium Fabric Dust Mesh



Spectrum




Treble And Bass Independent Adjustment+ Touch Key

Outdoor Speaker LS-600




Karaoke Function




Spectrum



Long Battery Life



Optional Premium Fabric Dust Mesh



Digital Volume+ Four Buttons



PATENT NO. 202130271232.1

Dimension: 287*168*165mm

Power Supply: 7.4V1800mA lithium-ion battery

Speaker Driver: 4 inch full frequency 4Ω*1PCS;
20 core silk film 8Ω tweeter*1PCS;
Phase-inverter tube*1

Charging Interface: TYPE-C 5V

Output Power: 30W

LS-600 Pro+ Outdoor Speaker



PATENT NO. 202223217039.8

Dimension: 287*168*165mm

Power Supply: 7.4V3600mA lithium-ion battery

Speaker Driver: 4 inch full frequency 4Ω*1PCS;
20 core silk film 8Ω tweeter*1PCS;
Phase-inverter tube*1

Charging Interface: TYPE-C 5V


Output Power: 30W



3600mAh Large Capacity Battery



Karaoke Function



Optional Premium Fabric Dust Mesh



Spectrum



Treble And Bass Independent Adjustment+ Touch Key

Outdoor Speaker **LS-700**




Karaoke Function




LED Lighting Mesh



3600mA Large Capacity Battery



Optional Premium Fabric Dust Mesh



Digital Volume+ Four Buttons



PATENT NO. 202130271232.1

Dimension: 330*109*211mm

Power Supply: 7.4V3600mA lithium-ion battery

Speaker Driver: 4 inch full frequency 4Ω*1PCS;
20 core silk film 8Ω tweeter*2PCS;
Phase-inverter tube*1

Charging Interface: TYPE-C 5V

Output Power: 35W

LS-800 Outdoor Speaker



PATENT NO. 202223217039.8

Dimension: 287*168*210mm

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 4 inch full frequency 6Ω*1PCS;
25 core silk film 8Ω tweeter*1PCS;
Phase-inverter tube*1


Output Power: 60W



Professional Crossover Capacitors



Karaoke Function



Optional Premium Fabric Dust Mesh



Spectrum




Treble And Bass Independent Adjustment+ Touch Key

Jaocom
health • audio

DESKTOP SPEAKER

WIRELESS AUDIO, A HAPPY LIFESTYLE



F5-30 Desktop Speaker



PATENT NO. 202030753353.5

Dimension: 312*150*120mm

Output Power: 25W*2

Power Supply: 20V1.8A adapter

Speaker Driver: 3 inch full frequency 6Ω*2PCS;
Passive speaker*2



Eight Touch Key



Wireless Charging Function




Rich Functional Interface



Powerful Alarm Clock And Sleep Function

Desktop Speaker **F5-30 Pro**



Eight Touch Key



Rich Functional Interface(HDMI ARC)



Karaoke Function



Dual 3Inch Passive Radiators



PATENT NO. 202030753353.5

Dimension: 312*150*120mm

Output Power: 25W*2

Power Supply: 20V1.8A adapter

Speaker Driver: 3 inch full frequency 6Ω*2PCS;
Passive speaker*2

F5-30 Pro+ Desktop Speaker




Wireless Charging Function



Karaoke Function



Rich Functional Interface(HDMI ARC)



Removable Dust Cover/touch Buttons



Dimension: 585*150*120mm

Output Power: 30W*2

Power Supply: 22V2A adapter

Speaker Driver: 3 inch full frequency 6Ω*2PCS;

Desktop Speaker **F5-30M**



Karaoke Function



Eight Touch Key



16 Core Full Frequency Speaker



PATENT NO. 202130271220.9

Dimension: 330*194*147mm

Output Power: 25W*2

Power Supply: 20V1.8A adapter

Speaker Driver: 3 inch full frequency 6Ω*2PCS;

F5-60 Desktop Speaker




Dimension: 360*240*152mm
Output Power: 20W*2+40W
Power Supply: AC100-240V~50/60Hz
Speaker Driver: 3 inch full frequency 6Ω*2PCS;
Subwoofer 4 inch 4Ω;
Phase-inverted tube*1



2.1ch System



Rich Functional Interface(HDMI ARC)



High Power Switching Power Supply



Karaoke Function

Desktop Speaker F5-60W



Eight Touch Key



Rich Functional Interface(HDMI ARC)



2.1ch System



Karaoke Function



Dimension: 400*245*168mm

Output Power: 25W*2+50W

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 3 inch full frequency 6Ω*2PCS;

Subwoofer 5 inch 4Ω;

Phase-inverted tube*1

F5-60 Pro+ Desktop Speaker



Dimension: 400*245*168mm

Output Power: 25W*2+50W

Power Supply: AC100-240V~50/60Hz


Speaker Driver: 2.75 inch full frequency 6Ω*2PCS;
20 core silk film 8Ω tweeter*2PCS;
Subwoofer 5 inch 4Ω;
Phase-inverted tube*1



Eight Touch Key



Karaoke Function



Wireless Charging Function



Silk Film+ Full Frequency+ Low Frequency 2.1 System

Desktop Speaker F5-60 Pro



Dimension: 400*245*168mm

Output Power: 25W*2+50W

Power Supply: AC100-240V~50/60Hz


Speaker Driver: 3 inch full frequency 6Ω*2PCS;

Subwoofer 5 inch 4Ω;


Phase-inverted tube*1



Eight Touch Key



High Power Switching Power Supply




Professional Double Radiator



Rich Functional Interface(HDMI ARC)

F5-20 Desktop Speaker



RMS



Touch Clock Display



Wireless Charging Function



Dimension: 180*180*93mm
Output Power: 20W*2(RMS)
Power Supply: 15V1.6A
Speaker Driver: 2.25 inch 4Ω*2PCS;
Passive speaker*1



Powerful Alarm Clock Sleep Function

Desktop Speaker **F5-20 Pro**



Powerful Alarm Clock Sleep Function



Super Magnetic



Wireless Charging Function



Dimension: 200*200*85mm
Output Power: 20W*2(RMS)
Power Supply: 15V1.6A adapter
Speaker Driver: 4480 full frequency 4Ω*2PCS;
Passive speaker*1

Jaocom
health•audio




中國音樂文化歷史悠久，樂事記載
凡音之起，由人心而生。人心之動，物使之然也。
感于物，動於心，故行于聲，聲相應，故生文，變底方，
謂之音。比音而樂之，及于成謂之樂，明之樂。
由此可見，樂由心生，其本在人心之德，子由。
樂器技藝雖此理會，創導健康音响新理會，
視為用高品質音响播放合適的音樂，
可使人們心曠神怡而有健康。

樂
中國風


SOUND BAR
PERFECT SOUND, YOU CAN VISUALIZE




Bluetooth Sound Bar X4L Pro




RMS28W



Super Magnetic



Excellent Craftsmanship



TV Partner



Dimension: 406*74*49mm

Output Power: 14W*2(RMS)


Power Supply: 12V1A

Speaker Driver: 4480 full frequency 4Ω*2PCS

X4L Bluetooth Sound Bar




Dimension: 406*74*49mm
 Output Power: 26W(RMS)
 Power Supply: 18V650mA
 Speaker Driver: 4480 full frequency 6Ω*1PCS;
 Phase-inverter tube*1




Professional Radiator



Rubber Corrugated Rim




Four Sound Effects




RMS 26W


Bluetooth Sound Bar X4




RMS 25W



Body Thickness Is Only 50mm



Professional Double Radiator



Super Magnetic



PATENT NO. 202130271223.2

Dimension: 408*51*50mm

Output Power: 25W(RMS)

Power Supply: 18V650mA


Speaker Driver: 4480 full frequency 6Ω*1PCS;

Phase-inverter tube*1


X4 Pro Bluetooth Sound Bar



Precise Inverted Pipe Technology



TV Partner



Professional Double Radiator



PATENT NO. 202130271223.2

Dimension: 708*51*50mm


Output Power: 20W*2

Power Supply: 20V1.2A


Speaker Driver: 4480 full frequency 6Ω*2PCS;
Phase-inverter tube*1

PERFECT SOUND, YOU CAN VISUALIZE

Bluetooth Sound Bar SH1



Professional Double Radiator



EV Wire High Temperature Voice Coil



Rich Functional Interface



PATENT NO. 202130271223.2

Dimension: 708*51*50mm


Output Power: 20W*2

Power Supply: 20V1.2A


Speaker Driver: 4480 full frequency 6Ω*2PCS;
Phase-inverter tube*1

WIRELESS AUDIO, A HAPPY LIFESTYLE


SH1 Pro + Bluetooth Sound Bar




Body Thickness Is Only 49mm



Metal Grille



Professional Double Radiator



PATENT NO. 202130610580.7

Dimension: 906*74*49mm

Output Power: 25W*2

Power Supply: 20V1.8A


Speaker Driver: 4480 full frequency 6Ω*2PCS;
Phase-inverter tube*2

PERFECT SOUND, YOU CAN VISUALIZE

Bluetooth Sound Bar SH1 Pro



Dimension: 706*74*49mm
Output Power: 16W*2(RMS)
Power Supply: 18V1A adapter
Speaker Driver: 4480 full frequency 6Ω*2PCS;
Phase-inverter tube*1




RMS32W



High Quality Full Frequency Speaker



Double Inverted Pipe Technology



Excellent Craftsmanship


SH1W Bluetooth Sound Bar



TV Partner



Professional Double Radiator



Body Thickness Is Only 50mm



Plastic Cabinet

Dimension: 708*51*50mm

Output Power: 18W*2+36W

Power Supply: 22V2A adapter

Speaker Driver: 4480 full frequency 6Ω*2PCS;
Phase-inverter tube*1

Subwoofer

Dimension: 400*230*97mm

Speaker Driver: Subwoofer 5 inch 4Ω

FOCUS ON SOUND QUALITY TO CREATE A BETTER LIFE

Bluetooth Sound Bar X4LW



Comfortable Silicone Keys



Subwoofers Be Placed Freely



TV Partner



Plastic Cabinet

Dimension: 506*74*49mm

Output Power: 15W*2+30W

Power Supply: 20V1.8A adapter

Speaker Driver: 4480 full frequency 6Ω*2PCS

Subwoofer

Dimension: 400*200*90mm

Speaker Driver: Subwoofer 4 inch 4Ω




Jaocom

health•audio

WIRELESS AUDIO, A HAPPY LIFESTYLE


SH1W Pro Bluetooth Sound Bar



Body Thickness Is Only 49mm



Rich Functional Interface



EV Wire High Temperature Voice Coil



Plastic Cabinet

Dimension: 906*74*49mm

Output Power: 25W*2+50W

Power Supply: 22V2A adapter

Speaker Driver: 4480 full frequency 6Ω*2PCS;
20 core silk film 8Ω tweeter*2PCS;
Phase-inverter tube*2

Subwoofer

Dimension: 400*230*97mm

Speaker Driver: Subwoofer 5 inch 4Ω

Jaocom
health•audio

PERFECT SOUND, YOU CAN VISUALIZE

Bluetooth Sound Bar SH1W Pro+



Super Magnetic



Silk Film



Long Strokes Bass Speaker



TWS-SH1W Pro+

Plastic Cabinet

Dimension: 906*74*49mm

Output Power: 30W*2

Power Supply: 22V1.6A adapter

Speaker Driver: 4480 6Ω*2PCS;
20 core silk film 8Ω*2PCS;
Phase-inverter tube*2

Wireless Subwoofer

Dimension: 400*300*120mm

Output Power: 60W

Speaker Driver: Subwoofer 6.5 inch 4Ω

Power supply: AC100-240V~50/60Hz

SH1W Pro+

Plastic Cabinet

Dimension: 906*74*49mm

Output Power: 30W*2+60W

Power Supply: 22V2.8A adapter

Speaker Driver: 4480 6Ω*2PCS;
20 core silk film 8Ω*2PCS;
Phase-inverter tube*2

Subwoofer

Dimension: 400*300*120mm

Speaker Driver: Subwoofer 6.5 inch 4Ω

Jaocom
health • audio



TOWER SPEAKER

**PERFECT SOUND, YOU CAN VISUALIZE
BLUETOOTH 5.0**

WIRELESS AUDIO
A HAPPY LIFESTYLE

T01 TOWER SPEAKER



Dimension: 180*180*780mm

Output Power:

(25W*2+50W)*2

Power Supply: (AC100-240V~50/60Hz)*2


Speaker Driver:

3 inch full frequency 6Ω*4PCS;

20 core silk film 8Ω tweeter*2PCS;

Subwoofer 5 inch 4Ω*2PCS;

Phase-inverter tube*2



High Power Switching Power Supply




New DSP Processing Chip



True Wireless Stereo(TWS)




Professional Radiator




T01 TOWER SPEAKER

T02 TOWER SPEAKER



High Power Switching Power Supply



Powerful Digital Amplifier



Large Diameter Phase-inverter Tube



Eight Physical Key

PERFECT SOUND
YOU CAN VISUALIZE

T02 TOWER SPEAKER



PATENT NO. 201720035966.8

Dimension: 205*205*1130mm

Output Power: 30W*2+60W

Power Supply: AC100-240V~50/60Hz


Speaker Driver:

2.75 inch full frequency 4Ω*4PCS;

20 core silk film 8Ω tweeter*1PCS;

Subwoofer 6.5 inch 8Ω;

Phase-inverter tube*1




High Power Switching Power Supply



Rich Functional Interface



Silk Film Tweeter



Silicone Shock-absorbing Foot Pads

WIRELESS AUDIO
A HAPPY LIFESTYLE

TO3 TOWER SPEAKER



PATENT NO. 201720035966.8

Dimension: 214*214*1140mm

Output Power: 30W*2+60W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

3 inch full frequency 4Ω*4PCS;

20 core silk film 8Ω tweeter*1PCS;

Subwoofer 6.5 inch 8Ω;

Phase-inverter tube*1



TO3 TOWER SPEAKER

T04 TOWER SPEAKER



PERFECT SOUND
YOU CAN VISUALIZE

T04 TOWER SPEAKER



PATENT NO. 201720035966.8

Dimension: 205*205*1130mm

Output Power: 30W*2+60W

Power Supply: AC100-240V~50/60Hz


Speaker Driver:

2.75 inch full frequency 4Ω*4PCS;


20 core silk film 8Ω tweeter*1PCS;

Subwoofer 6.5 inch 8Ω;

Phase-inverter tube*1



High Power Switching Power Supply



Powerful Digital Amplifier



Silk Film Tweeter



Eight Touch Key

WIRELESS AUDIO
A HAPPY LIFESTYLE

T04W TOWERSPEAKER



Dimension: 130*110*1000mm

Output Power: 20W*2+40W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:


3 inch full frequency 6Ω*2PCS;

Subwoofer 3.5 inch 4Ω;

Phase-inverter tube*1



LED Display



2.1ch Digital Amplifier



Built-in Subwoofer



Eight Physical Key




T04W TOWERSPEAKER

T05 TOWER SPEAKER



Mobile Device Bracket



Powerful Digital Amplifier



LED Display



Wired Stereo Port

PERFECT SOUND
YOU CAN VISUALIZE

T05 TOWER SPEAKER



Dimension: 130*110*820mm
Output Power: 20W*2
Power Supply: 18V1.3A power adapter
Speaker Driver:
3 inch full frequency 6Ω*2PCS;
Phase-inverter tube*1




Eight Physical Key



New DSP Processing Chip



True Wireless Stereo (TWS)



Professional Radiator

WIRELESS AUDIO
A HAPPY LIFESTYLE

T06 TOWER SPEAKER



Dimension: 130*110*820mm

Output Power: (25W*2)*2

Power Supply: 20V1.2A power adapter*2

Speaker Driver:

3 inch full frequency 6Ω*4PCS;

Phase-inverter tube*2



T06 TOWER SPEAKER

T07 TOWER SPEAKER



PERFECT SOUND
YOU CAN VISUALIZE

T07 TOWER SPEAKER



PATENT NO. CN 207947886 U

Dimension: 110*100*1000mm

Output Power: 20W*2

Power Supply: 18V1.3A power adapter


Speaker Driver:

3 inch full frequency 6Ω*2PCS;

Phase-inverter tube*1




Eight Physical Key



Powerful Digital Amplifier



RGB Light



Bluetooth 5.0

WIRELESS AUDIO
A HAPPY LIFESTYLE

T08 TOWER SPEAKER



Dimension: 115*150*840mm

Output Power: 30W*2

Power Supply: AC100-240V~50/60Hz


Speaker Driver:

3 inch full frequency 6Ω*2PCS;


Phase-inverter tube*1



Built-in Switching Power Supply



Powerful Digital Amplifier



Base Lighting




Eight Touch Key




T08 TOWER SPEAKER


T09 TOWER SPEAKER



High Power Switching Power Supply



Powerful Digital Amplifier



Base Lighting




Eight Touch Key

PERFECT SOUND
YOU CAN VISUALIZE


T09 TOWER SPEAKER



Dimension: 115*150*925mm
Output Power: 25W*2+50W
Power Supply: AC100-240V~50/60Hz
Speaker Driver:
3 inch full frequency 6Ω*4PCS;
Subwoofer 5 inch 4Ω;
Phase-inverter tube*1



High Power Switching Power Supply



2.1ch Digital Amplifier



Built-in 5 Inch Woofer



360° Digital Potentiometer

WIRELESS AUDIO
A HAPPY LIFESTYLE

T09Pro TOWERSPEAKER



Dimension: 150*150*916mm

Output Power: 25W*2+50W


Power Supply: AC100-240V~50/60Hz

Speaker Driver:

3 inch full frequency 6Ω*2PCS;

Subwoofer 5 inch 4Ω;

Phase-inverter tube*1



T09Pro TOWERSPEAKER

Jaocom


health • audio

PROFESSIONAL AUDIO

PERFECT SOUND, YOU CAN VISUALIZE




Professional Effector X5



Original Radiator



New DSP Processing Chip




Hi-Fi Power Supply Processing

Feature:

- It can store 16 modes.
- Karaoke Effector with speaker processing function,
- Each part of the function is independently adjustable.
- The microphone has three levels of feedback and can be made by OFF/ON.
- The main output is equipped with 5-segment parametric equalization.
- The machine has a full-function menu and can also be set through the PC interface.

Dimension: 485*185*65mm

Power Supply: AC110/220V~60/50Hz




X10 Professional Power Amplifier



High-capacity Filter Capacitors



Professional Audio Interface



Large Pure Copper Toroidal Transformer



Oversized Radiator



Feature:

- Power amplifier heat dissipation faster so that it can work stably for a long time with perfect protection function, startup buffer, overcurrent protection, overheat protection and short circuit protection.
- Functional transformers such as output DC protection use copper transformer to make power amplifier more stable.

Dimension: 485*500*100mm


Output Power: 1000W*2

Power Supply: AC110/220V~60/50Hz




X5+X10 Combination application


Professional Power Amplifier MK2450



Anti-interference circuit



High Quality Filter Large Capacitor



High Power Triode



Pure Copper Ring Transformer



Feature:

- Broadcasting microphone preamplifier, high quality 20 bit digital echo effect. Front and rear microphone input, scream suppression function.
- Full-function protection circuit: boot buffer, over-current and over-voltage, over-load, DC protection technology to make products
- ReliableThe stability is high enough to make you feel at ease and happy.

Dimension: 430*385*140mm


Output Power: 350W*2

Power Supply: AC110/220V~60/50Hz

HT6350A Professional Broadcasting Power Amplifier



LCD Display



Double Toroidal Transformer



Professional Radiators

Feature:

- Three-way microphone input (front microphone with automatic mute function).
- Two lines input and one line output.
- Six-way manual partition function can adjust the volume of each output individually.
- Automatic detection and protection function with short circuit/load.

Dimension: 485*89*450mm

Output Power: 250W*2

Power Supply: AC110/220V~60/50Hz



Jaocom
health•audio

Home Karaoke Stereo **LM300**




Hs825 (Matching)

Dimension: 465*286*372mm


Speaker Driver: 8 inch 6Ω, 25 core silk film 8Ω*2

Output Power: 120W-180W*2


Frequency Divider: Two-way frequency



New DSP Processing Chip



Digital Amplifier



High-definition Electronic Screen



Dual Wireless Karaoke



Dimension: 430*97*320mm

Output Power: 150W*2

Power Supply: AC110/220V~60/50Hz

Jaocom

health•audio



FOCUS ON SOUND QUALITY

TO CREATE A BETTER LIFE

LISTENING 2023



Zhuhai Jaocom Audio Co., Ltd

Add: 5/F, 3rd Bd, 615 Road Huawei, 519075, Zhuhai, China.

Tel: +86-756-8500956 Fax: +86-756-8500957

<http://www.jaocom.com>

E-mail: info@jaocom.com